

CONTACT : LEONID CHEMICALS

62/A-2 1st Stage, Yeshwanthpur Industrial Suburb Ashokpuram School Road Bangalore-560 022, Karnataka, INDIA Ph: +91-80-2337 8354, Fax: +91-80-2357 4827

MATERIAL SAFETY DATA SHEET

DIMETHYL SULFOXIDE

SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name:

DIMETHYL SULFOXIDE

Methyl sulfoxide, DMSO; Sulfinylbis[Methane] Synonyms

CAS No. 67-68-5 Molecular Weight : 78.13 Chemical Formula : (CH3)2SO Product Codes : **Un Listed**

9033, 9194, 9224, 9225, 9234 J.T. Baker

Mallinckrodt 2969, 4948, 5507, H521

Company Information: LEONID CHEMICALS

62/A-2 1st Stage, Yeshwanthpur Industrial Suburb

Ashokpuram School Road

Bangalore-560 022, Karnataka, INDIA

Ph: +91-80-2337 8354, Fax: +91-80-2357 4827

SECTION 2- COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient : Dimethylsulfoxide

CAS No. 67-68-5 99 - 100 %

Hazardous Yes

SECTION 3- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. COMBUSTIBLE LIQUID AND VAPOR

SAF-T-DATA^(tm) Ratings (Provided here for your convenience)

2 - Moderate (Life)
2 - Moderate
2 - Moderate
3 - Severe (Life)
GOGGLES & SHIELD; LAB COAT & APRON; VENT Health Rating Flammability Rating Reactivity Rating Contact Rating

Lab Protective Equip

HOOD; PROPER GLOVES; CLASS B EXTINGUISHER

Storage Color Code Red (Flammable)

Potential Health Effects

Inhalation:

Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. May cause allergic reaction in sensitive individuals.



Ingestion:

Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea. May cause abdominal pain, drowsiness, chills and chest pains.

Skin Contact:

Causes irritation to skin. Symptoms include redness, itching, and pain. May cause scaling, Readily absorbed through the skin. Garlic-like taste and odor may develop on the breath and skin. Transient disturbances of color vision, photophobia, headache, diarrhea, and dermatitis may result from skin applications. A good solvent; may result in the increased skin absorption of other more toxic materials.

Eve Contact:

Causes irritation, redness, and pain. May cause blurred vision.

Chronic Exposure:

Absorption may affect the blood, Repeated skin application may cause scaling dermatitis. Repeated oral doses may effect the liver and kidneys.

Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems or impaired liver or kidney function may be more susceptible to the effects of the substance. Topical application enhances dermal absorption of many other chemicals, including drugs and allergens of moderate molecular weight.

SECTION 4- FIRST AID MEASURES

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact:

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper evelids occasionally. Get medical attention immediately.

SECTION 5- FIRE FIGHTING MEASURES

Fire:
Flash point : 89C (192F) CC Autoignition temperature : 215C (419F)
Flammable limits in air % by volume : lel: 2.6; uel: 42- 63

Combustible. Moderate fire hazard when exposed to heat or flame.

Explosion:

Above flash point, vapor-air mixtures are explosive within flammable limits noted above. Sealed containers may rupture when heated. Sensitive to static discharge.



Fire Extinguishing Media:

Dry chemical, foam or carbon dioxide.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Vapors can flow along surfaces to distant ignition source and flash back.

SECTION 6- ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer!

SECTION 7 - HANDLING and STORAGE

Keep in a tightly closed container. Store in a cool, dry, ventilated area away from sources of heat or ignition. Protect against physical damage. Store separately from reactive or combustible materials, and out of direct sunlight. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Airborne Exposure Limits:

-None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation*, *A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

For conditions of use where exposure to the substance is apparent and engineering controls are not feasble, consult an industrial hygienist. For emergencies, or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air purifying respirators do not protect workers in oxygendeficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear, colorless liquid. Hygroscopic.

Odor : Garlic-like odor. Solubility : Miscible in water.

Specific Gravity : 1.10

pH : No information found.

% Volatiles by volume @ 21C (70F) : 100

Boiling Point : 189C (372F) Melting Point : 18.5C (64F)

Vapor Density (Air=1) : 2.7

Vapor Pressure (mm Hg) : 0.42 @ 20C (68F) Evaporation Rate (BuAc=1) : 4.3 (CCI4 = 1)

SECTION 10 - STABILITY AND REACTIVITY

Stability:

Stable under ordinary conditions of use and storage. Hygroscopic.

Hazardous Decomposition Products

Upon heating above 100C (212F), sulfur dioxide is evolved from this substance. Hazardous thermo-oxidative degradation products from DMSO include formaldehyde, methyl mercaptan and sulfur dioxide.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Strong oxidants, acylhalides, arylhalides, bromobenzoyl acetanilide, magnesium perchloriate, perchloric acid and sodium hydroxide

Conditions to Avoid:

Heat, flames, ignition sources and incompatibles.

.....

SECTION 11 - TOXICOLOGICAL INFORMATION

Oral rat LD50: 14,500 mg/Kg. Irritation data (std Draize, rabbit): Skin = 500 mg/24 hour, mild; Eye = 500 mg/24 hour, mild. Investigated as a tumorigen, mutagen, reproductive effector.

NTP Carcinogen

Ingredient : Dimethylsulfoxide (67-68-5)

Known : No Anticipated : No IARC Category : None

SECTION 12 - ECOLOGICAL INFORMATION

Environmental Fate:

When released into the soil, this material is not expected to biodegrade. When released into the soil, this material may leach into groundwater. When released into the soil, this material may evaporate to a moderate extent. When released into water, this material may evaporate to a moderate extent. This material is not expected to significantly bioaccumulate. When released into the air, this material may be moderately degraded by



reaction with photochemically produced hydroxyl radicals. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet deposition.

Environmental Toxicity: No information found.

SECTION 13 - DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements

SECTION 14 - TRANSPORT INFORMATION

Not regulated.

SECTION 15 - REGULATORY INFORMATION

Chemical Inventory Status - Part 1

Ingredient : Dimethylsulfoxide (67-68-5)

TSCA : Yes EC : Yes Japan : Yes Australia : Yes

Chemical Inventory Status - Part 2

Ingredient : Dimethylsulfoxide (67-68-5)

Canada

Korea : Yes DSL : Yes NDSL : No Phil : Yes

Federal, State & International Regulations - Part 1 Ingredient : Dimethylsulfoxide (67-68-5)

SARA 302

RQ : No TPQ : No

SARA 313

List : No Chemical Catg: No

Federal, State & International Regulations - Part 2 Ingredient : Dimethylsulfoxide (67-68-5)

CERCLA : No

RCRA

261.33 : No



TSCA

8(d) : No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No

SARA 311/312 : Acute: Yes Chronic: Yes Fire: Yes Pressure: No

Reactivity : No (Pure / Liquid)

Australian Hazchem Code : None allocated

Poison Schedule : S6

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

NFPA Ratings: Health: 1 Flammability: 1 Reactivity: 0

Label Hazard Warning:

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. COMBUSTIBLE LIQUID AND VAPOR.

Label Precautions:

Avoid breathing vapor or mist.

Keep container closed.

Use only with adequate ventilation.

Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling.

Keep away from heat and flame.

Label First Aid:

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. In all cases, get medical attention.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 3.

DISCLAIMER:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

