

MATERIAL SAFETY DATA SHEET

CONTACT : LEONID CHEMICALS

62/A-2 1st Stage, Yeshwanthpur Industrial Suburb Ashokpuram School Road Bangalore-560 022, Karnataka, INDIA Ph: +91-80-2337 8354, Fax: +91-80-2357 4827

Succinic anhydride, 99%

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Succinic anhydride, 99%

Catalog Numbers:

S172

Synonyms:

SAA

Company Identification:

LEONID CHEMICALS

62/A-2 2nd Stage, Industrial Suburb Yeshwanthpur, Bangalore -22, INDIA

Ph- +91-80-23378354

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

CAS# : 108-30-5

Chemical Name : Succinic anhydride

% : 99% EINECS# : 203-570-0

Haz Symbols : XI Risk Phrases : 36/37

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Irritating to eyes and respiratory system. Moisture sensitive.

Potential Health Effects

Eye:

Causes eye irritation.

Skin:

May cause skin irritation.

Ingestion:

The toxicological properties of this substance have not been fully

investigated.

Inhalation:

Causes respiratory tract irritation.

Chronic:

Not available.

SECTION 4 - FIRST AID MEASURES



1

Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Skin:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion:

Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation:

Remove from exposure and move to fresh air immediately. Notes to Physician:

SECTION 5 - FIRE FIGHTING MEASURES

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media:

In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal.

SECTION 7 - HANDLING and STORAGE

Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation.

Storage:

Store in a cool, dry place. Keep container closed when not in use.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Use process enclosure, local exhaust ventilation, or other engineering controls



to control airborne levels. Personal Protective Equipment

Eyes:

Wear safety glasses and chemical goggles if splashing is possible.

Skin:

Wear appropriate protective gloves and clothing to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to minimize contact with skin.

Respirators:

Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Flakes

Color: white

Odor: Not available. pH: Not available.

Vapor Pressure: 1 mmHg @ 92 C Viscosity: 3 cP 25.00 deg C

Boiling Point: 261 deg C @ 760.00mm Hg Freezing/Melting Point: > 118 deg C Autoignition Temperature: Not available.

Flash Point: Not available.

Explosion Limits, lower: Not available. Explosion Limits, upper: Not available.

Decomposition Temperature: Solubility in water: Not available.

Specific Gravity/Density: Molecular Formula:

Molecular Weight: 100.07

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials, exposure to moist air or water.

Incompatibilities with Other Materials:

Strong oxidizing agents, acids, bases, alcohols, amines.

Hazardous Decomposition Products:

Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Has not been reported.



SECTION 11 - TOXICOLOGICAL INFORMATION RTECS#: CAS# 108-30-5: WN0875000 LD50/LC50: CAS# 108-30-5: Draize test, rabbit, eye: 750 ug Severe; Oral, rat: LD50 = 1510 mg/kg.Carcinogenicity: Succinic anhydride -Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA. See actual entry in RTECS for complete information. **SECTION 12 - ECOLOGICAL INFORMATION SECTION 13 - DISPOSAL CONSIDERATIONS** Dispose of in a manner consistent with federal, state, and local regulations. **SECTION 14 - TRANSPORT INFORMATION** IATA No information available. IMO No information available. RID/ADR No information available. **SECTION 15 - REGULATORY INFORMATION** European/International Regulations European Labeling in Accordance with EC Directives Hazard Symbols: XI Risk Phrases: R 36/37 Irritating to eyes and respiratory system. Safety Phrases: S 25 Avoid contact with eyes. WGK (Water Danger/Protection) CAS# 108-30-5: 0 United Kingdom Occupational Exposure Limits United Kingdom Maximum Exposure Limits Canada CAS# 108-30-5 is listed on Canada's DSL List. CAS# 108-30-5 is listed on Canada's Ingredient Disclosure List. **Exposure Limits US FEDERAL TSCA**



SECTION 16 - ADDITIONAL INFORMATION

MSDS Creation Date: 7/16/1996 Revision #0 Date: Original.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

