

MATERIAL SAFETY DATA SHEET

CONTACT : LEONID CHEMICALS

Leonid Chemicals Pvt Ltd 62/A-2 1st Stage, Yeshwanthpur Industrial Suburb Ashokpuram School Road Bangalore-560 022, Karnataka, INDIA Ph: +91-80-2337 8354, Fax: +91-80-2357 4827

PERFLUOROHEPTANOIC ACID, 96%

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: PERFLUOROHEPTANOIC ACID, 96%

Catalog Numbers:

787

Synonyms:

2,2,3,3,4,4,5,5,6,6,7,7,7,-Tridecafluoroheptanoic acid

Company Identification LEONID CHEMICALS

62/A-2 2nd Stage, Industrial Suburb Yeshwanthpur, Bangalore -22, INDIA

Ph- +91-80-23378354

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

CAS#	Chemical Name	%	EINECS#	Haz Symbols	Risk Phrases
375-85-9	PERFLUOROHEPTANOIC ACID, 96%	96	206-798-9	С	34

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Causes burns.

Potential Health Effects

Eye:

Contact with eyes may cause severe irritation, and possible eye burns.

Skin:

May cause severe irritation and possible burns.

Ingestion:

Not available.

Inhalation:

May cause severe irritation of the respiratory tract with sore throat, coughing, shortness of breath and delayed lung edema. Causes chemical burns to the respiratory tract.

Chronic:

1

Not available.

SECTION 4 - FIRST AID MEASURES



Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Skin:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion:

Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation:

Remove from exposure and move to fresh air immediately.

Notes to Physician:

SECTION 5 - FIRE FIGHTING MEASURES

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Extinguishing Media:

In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

SECTION 7 - HANDLING and STORAGE

Handling:

Not available.

Storage:

Corrosives area.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes:

Wear safety glasses and chemical goggles if splashing is possible.

Skin:



Wear appropriate protective gloves and clothing to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to minimize contact with skin.

Respirators:

Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Clear liquid
Color: colorless
Odor: Not available.
PH: Not available.
Vapor Pressure: Not available.
Viscosity: Not available.

Boiling Point: 78.0 - 80.0 deg C @ 19.00mbar

Freezing/Melting Point: Not available. Autoignition Temperature: Not available.

Flash Point: > 110 deg C (> 230.00 deg F)

Explosion Limits, lower: Not available. Explosion Limits, upper: Not available.

Decomposition Temperature:

Solubility in water: Specific Gravity/Density:

Molecular Formula: C7HF1302 Molecular Weight: 364.05

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Not available.

Incompatibilities with Other Materials:

Not available.

Hazardous Decomposition Products:

Carbon monoxide, carbon dioxide, hydrogen fluoride gas.

Hazardous Polymerization: Has not been reported.

SECTION 11 - TOXICOLOGICAL INFORMATION

RTECS#:

CAS# 375-85-9 unlisted.

LD50/LC50:

Not available.

Carcinogenicity:



PERFLUOROHEPTANOIC ACID, 96% -Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA. See actual entry in RTECS for complete information.

SECTION 12 - ECOLOGICAL INFORMATION

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state, and local regulations.

SECTION 14 - TRANSPORT INFORMATION

IATA

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.*

Hazard Class: 8 UN Number: 3265 Packing Group: III

IMO

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Hazard Class: 8 UN Number: 3265 Packing Group: III

RID/ADR

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Hazard Class: 8 UN Number: 3265 Packing group: III

SECTION 15 - REGULATORY INFORMATION

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: C Risk Phrases:

R 34 Causes burns.

Safety Phrases:

S 23 Do not inhale gas/fumes/vapour/spray.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

WGK (Water Danger/Protection)

CAS# 375-85-9: No information available.

United Kingdom Occupational Exposure Limits

United Kingdom Maximum Exposure Limits

Canada

CAS# 375-85-9 is listed on Canada's NDSL List.



4

CAS# 375-85-9 is not listed on Canada's Ingredient Disclosure List.
Exposure Limits
US FEDERAL
TSCA
CAS# 375-85-9 is listed on the TSCA inventory.

SECTION 16 - ADDITIONAL INFORMATION

MSDS Creation Date: 7/16/1996 Revision #0 Date: Original.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

