

 <p>CHEMLABS Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>1 Page of 1</p>

SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Potassium acetate

Catalog Numbers: P007

Synonyms: K(acac)

CAS-No. : 127-08-2

Company Information:

LEONID CHEMICALS Pvt Ltd,
62/A2, 1st Stage,
Yeshwanthpur Industrial Suburb,
Asoka puram School Road,
Bangalore -22, Karnataka, INDIA
Ph- +91-80-23378354
Fax: +918023378354/23377126

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.
This substance is not classified as dangerous according to Directive 67/548/EEC.

Label elements

The product does not need to be labelled in accordance with EC directives or respective national laws.

Other hazards - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Synonyms : K(acac)

Formula : C₂H₃KO₂

Molecular Weight : 98,14 g/mol

4. FIRST AID MEASURES

Description of first aid measures

General advice

 <p>CHEMLABS Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>2 Page of 1</p>

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides, Potassium oxides

Advice for firefighters

Wear self contained breathing apparatus for firefighting if necessary.

Further information

no data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas.

Avoid

breathing dust.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

 <p>CHEMLABS® Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>3 Page of 1</p>

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic. Air and moisture sensitive. Store under inert gas.

Specific end uses

no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components with workplace control parameters

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection

Material : Nitrile rubber

Minimum layer thickness : 0,11 mm

Break through time : > 480 min

Material tested :Dermatril

Splash protection

Material : Nitrile rubber

Minimum layer thickness : 0,11 mm

Break through time : > 30 min

Material tested :Dermatril

data source : KCL GmbH, D-36124 Eichenzell

 <p>CHEMLABS® Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>4 Page of 1</p>

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Form	: crystalline
Colour	: white
pH	: 7,0 - 9 at 98,2 g/l at 25 °C
Melting point	: 303 - 307 °C
Initial boiling point	: no data available
Flash point	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper/lower	: no data available
Vapour pressure	: no data available
Vapour density	: no data available
Relative density	: 1,57 g/cm ³ at 25 °C
Water solubility	: 98,2 g/l at 20 °C - completely soluble
Partition coefficient	: noctanol/
Autoignition temperature	: no data available
Decomposition temperature	: no data available
Viscosity	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available

Other safety information

no data available

10. STABILITY AND REACTIVITY

Reactivity

 <p>CHEMLABS® Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>5 Page of 1</p>

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

 <p>CHEMLABS Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>6 Page of 1</p>

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: AJ3325000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

 <p>CHEMLABS Quality Our Forte</p>	<p>LEONID CHEMICALS PVT. LTD., BANGALORE</p> <p>An ISO-9001:2008 Certified Company</p> <p>Quality Assurance Department</p>	<p>(CODE) DOCUMENT : WI</p> <p>(CODE) SECTION : WI/SM</p> <p>(DATE) : 01.04.2011</p>	 <p>Issue : 02</p> <p>Rev.: 00</p>
<p>Title: MATERIAL SAFETY DATA SHEET (MSDS): POTASSIUM ACETATE</p>			<p>7 Page of 1</p>

14. TRANSPORT INFORMATION

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Packaging group

ADR/RID: - IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

no data available

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture


no data available

Chemical Safety Assessment

no data available

SECTION 16 – ADDITIONAL INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Leonid Chemicals Pvt. Ltd. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Leonid Chemicals Pvt. Ltd. has been advised of the possibility of such damages.

	LEONID CHEMICALS PVT. LTD., BANGALORE An ISO-9001:2008 Certified Company Quality Assurance Department	(CODE) DOCUMENT : R/QPM/8.2.4/06 (CODE) SECTION : P007 DATE) : 01.04.2011	 Issue : 02 Rev.: 00
		Title: SPECIFICATION MANUAL - POTASSIUM ACETATE	

Specification manual - Potassium Acetate

CH₃COOK

MW: 98.14

Product : Potassium Acetate LR, ACS
Description : A white granular powder
Cat No : P007
Cas No : 127-08-2
Prepared Date : 07.03.2005
Approved Date : 07.03.2005

REVISION HISTORY				
Issue/Rev	Description of Change		Author	Effective Date
01/00	Initial Release		S. Paul Joshua	07.03.2005
02/00	Reviewed no changes		S. Paul Joshua	01.04.2011
Next Review Due :		02.04.2015		
To be reviewed by :		Head-QC/QA		

Sl. No.	Tests	Specification	
		LR	ACS
1	Assay	Min 99.0%	≥99.0%
2	pH of 5% solution at 25°C	-	6.5 – 9.0
3	Insoluble matter	-	0.005%
4	Chloride (Cl)	-	0.003%
5	Sulphate (SO ₄)	-	0.002%
6	Phosphate (PO ₄)	-	0.001%
7	Calcium, magnesium, and R ₂ O ₃ precipitate	-	0.01%
8	Heavy metals (as Pb)	-	5 ppm
9	Iron (Fe)	-	5 ppm
10	Sodium (Na)	-	0.03%

Approved By: S.Paul Joshua, Head Quality Control and Quality Assurance