



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

1 | Page of 1

SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Allyltrimethylsilane

Catalog Numbers: A006

Synonyms: 3-(Trimethylsilyl)propene

CAS-No. : 762-72-1

Company Information:

LEONID CHEMICALS Pvt Ltd,
62/A2, 1st Stage,
Yeshwanthpur Industrial Suburb,
Ashokpuram School Road,
Bangalore -22, Karnataka, INDIA
Ph- +91-80-23378354
Fax: +918023378354/23377126
Email: lab@leonidchemicals.net

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 2)

Skin irritation (Category 2)

Eye irritation (Category 2)

Specific target organ toxicity - single exposure (Category 3)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Highly flammable. Irritating to eyes, respiratory system and skin.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Signal word **Danger**

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

2 | Page of 1

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements none

According to European Directive 67/548/EEC as amended.

Hazard symbol(s)

R-phrase(s)

R11 Highly flammable.
R36/37/38 Irritating to eyes, respiratory system and skin.

S-phrase(s)

S16 Keep away from sources of ignition - No smoking.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36 Wear suitable protective clothing.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 3-(Trimethylsilyl)propene
Formula : C₆H₁₄Si
Molecular Weight : 114,26 g/mol

Component	Concentration
Allyltrimethylsilane	
CAS-No. 762-72-1	
EC-No. 212-104-5	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

3 | Page of 1

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or Aldrich - 208264 Page 3 of 7 spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, silicon oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

4 | Page of 1

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper gloveremoval technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

5 | Page of 1

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

SECTION 9: Physical and chemical properties

Physical State	: Liquid
Appearance	: Colorless
odor	: odorless
pH	: No information available.
Boiling Point/Range	: 85°C / 185°F@ 760 mmHg
Melting Point/Range	: No information available.
Flash Point	: 7°C / 44.6°F
Autoignition Temperature	: No information available.
Water Solubility	: Insoluble
Specific Gravity	: 0.719
Molecular Formula	: C6 H14 Si
Molecular Weight	: 114.27

SECTION 10: Stability and reactivity

- 10.1 Reactivity
no data available
- 10.2 Chemical stability
no data available
- 10.3 Possibility of hazardous reactions
no data available
- 10.4 Conditions to avoid
Heat, flames and sparks. Extremes of temperature and direct sunlight.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

6 | Page of 1

10.5 Incompatible materials

Strong oxidizing agents Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Other decomposition products - no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes serious eye irritation.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

7 | Page of 1

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: Not available

SECTION 12: Ecological information

- 12.1 Toxicity
no data available
- 12.2 Persistence and degradability
no data available
- 12.3 Bioaccumulative potential
no data available
- 12.4 Mobility in soil
no data available
- 12.5 Results of PBT and vPvB assessment
no data available
- 12.6 Other adverse effects
no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1993 IMDG: 1993 IATA: 1993



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALLYLTRIMETHYLSILANE

8 | Page of 1

14.2 UN proper shipping name
ADR/RID: FLAMMABLE LIQUID, N.O.S. (Allyltrimethylsilane)
IMDG: FLAMMABLE LIQUID, N.O.S. (Allyltrimethylsilane)
IATA: Flammable liquid, n.o.s. (Allyltrimethylsilane)

14.3 Transport hazard class(es)
ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group
ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards
ADR/RID: no IMDG Marine Pollutant: no IATA: no

14.6 Special precautions for user
no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
no data available

15.2 Chemical Safety Assessment
no data available

SECTION 16 - ADDITIONAL INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Leonid Chemicals Pvt. Ltd. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Leonid Chemicals Pvt. Ltd. has been advised of the possibility of such damages.