



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

1 | Page of 1

SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: Aluminium Isopropoxide

Catalog Numbers: A450

Synonyms: Aluminium isopropylate; AIP

CAS-No. : 555-31-7

Company Information:

LEONID CHEMICALS Pvt Ltd,
62/A2, 1st Stage,
Yeshwanthpur Industrial Suburb,
Ashokpuram School Road,
Bangalore -22, Karnataka, INDIA
Ph- +91-80-23378354
Fax: +918023378354/23377126
Email: lab@leonidchemicals.net

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable solids (Category 1)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Highly flammable.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Signal word **Danger**

Hazard statement(s)

H228 Flammable solid.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Supplemental Hazard

Statements **none**

According to European Directive 67/548/EEC as amended.

Hazard symbol(s)

R-phrases(s)

R11 Highly flammable



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

2 | Page of 1

S-phrase(s)

S 8

Keep container dry.

S16

Keep away from sources of ignition - No smoking.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C₉H₂₁AlO₃

Molecular Weight : 204,24 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

3 | Page of 1

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Aluminum oxide

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Moisture sensitive.

7.3 Specific end uses

no data available

SECTION 8: Exposure controls/personal protection



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

4 | Page of 1

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

SECTION 9: Physical and chemical properties

Physical State Powder	: Solid
Appearance	: White
Vapor Pressure	: 0.13 hPa @ 21 °C
Boiling Point/Range	: 125 - 130°C / 257 - 266°F @ 38 mmHg
Melting Point/Range	: 129 - 136°C / 264.2 - 276.8°F
Flash Point	: 46°C / 114.8°F
Autoignition Temperature	: No information available.
Water Solubility	: REACTS



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

5 | Page of 1

Molecular Formula : C₉ H₂₁ Al O₃
Molecular Weight : 204.25

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 11.300 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

6 | Page of 1

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: BD0975000

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011



Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

7 | Page of 1

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3181 IMDG: 3181 IATA: 3181

14.2 UN proper shipping name

ADR/RID: METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (Aluminium triisopropanolate)

IMDG: METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (Aluminium triisopropanolate)

IATA: Metal salts of organic compounds, flammable, n.o.s. (Aluminium triisopropanolate)

14.3 Transport hazard class(es)

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

no data available

SECTION 16 - ADDITIONAL INFORMATION



**LEONID CHEMICALS PVT. LTD.,
BANGALORE**

An ISO-9001:2008 Certified Company

Quality Assurance Department

(CODE) DOCUMENT : WI

(CODE) SECTION : WI/SM

(DATE) : 01.04.2011




Issue : 02

Rev.: 00

Title: MATERIAL SAFETY DATA SHEET (MSDS): ALUMINIUM ISOPROPOXIDE

8 | Page of 1

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Leonid Chemicals Pvt. Ltd. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Leonid Chemicals Pvt. Ltd. has been advised of the possibility of such damages.



CHEMLABS
Quality Our Forte